Mon. Not. R. Astron. Soc. **000**, 1–6 (2014) Printed 15 April 2014 (MN LATEX style file v2.2)

Spectroscopic orbits of ten nearby solar-type dwarfs

N. A. Gorynya[1,2⋆] & A. Tokovinin[3]†
[1]*Institute of Astronomy of Russian Academy of Science, 48 Pyatnitskaya Str, 109017 Moscow, Russia*
[2] *Lomonosov Moscow State University, Sternberg State Astronomical Institute, Universitetskij prospekt, 13 Moscow 119991, Russia*
[3]*Cerro Tololo Inter-American Observatory, Casilla 603, La Serena, Chile*

arXiv:1404.3310v1 [astro-ph.SR] 12 Apr 2014

-

ABSTRACT
Several nearby solar-type dwarfs with variable radial velocity were monitored to find their spectroscopic orbits. Orbital elements of HIP 179, 1989, 2981, 5276, 6439, 11218, 21443, 96434 are determined, as well as tentative orbits for HIP 28678 and 41214. We discuss each of those objects. Three of the four double-lined binaries are twins with nearly equal components. All four orbits with periods shorter than 10 days are circular, the remaining orbits are eccentric.

Key words: binary stars

1 INTRODUCTION

Current interest in nearby solar-like stars is largely driven by search of exo-planets. These stars are also ideally suited for the study of binary statistics, which gives clues to the origin of stellar and planetary systems. The 25-pc sample of Raghavan et al. (2010) was recently extended to a larger volume to increase the significance of binary statistics and to access the statistics of higher-order hierarchies (Tokovinin 2014b).

Extensive data on F- and G-type stars within 67 pc of the Sun are available in the literature and cover the full range of orbital periods. The detection of spectroscopic binaries is mostly based on the Geneva-Copenhagen Survey (GCS) by Nordström et al. (2004). They addressed about 80% of the sample, typically with 2 or 3 radial velocity (RV) measurements per star. However, many spectroscopic binaries discovered by GCS from variable RV or from the appearance of double lines have no orbits determined so far. This leaves their periods and mass ratios indeterminate and adds uncertainty to the multiplicity statistics. A large number of these binaries were followed by D. Latham at Center for Astrophysics, leading to hundreds of orbital solutions (D. Latham, in preparation). Still, not all spectroscopic binaries are covered.

Our aim is to complement the existing work and to determine, whenever possible, spectroscopic orbits. We focus on stars with the largest (hence fastest) RV variations and derive here orbital solutions for some of them from the data of two seasons. The objects covered in this study are listed in Table 1, where visual magnitudes and spectral types are taken from SIMBAD, trigonometric parallaxes from the *Hipparcos-2* catalog (van Leeuwen 2007), and masses are estimated from absolute magnitudes (Tokovinin 2014a). All stars are bright; their spectral types range from F2V to G5V.

Table 1. List of stars with orbital solutions

HIP	HD	V mag	Spectral type	$\pi_{\rm HIP}$ mas	M_1 $M_\odot$
179	224974	6.90	G0V	15.3	1.32
1989	2085	7.89	F5	16.8	1.22
2981	3454	7.53	F5	22.0	1.17
5276	6611	7.24	F5	19.4	1.29
6439	8321	7.16	F5	20.1	1.29
11218	14938	7.20	F5	18.0	1.35
21443	28907	8.61	G5	15.5	1.11
28678	41255	7.47	F9V	15.8	1.21
41214	70937	6.03	F2V	15.8	1.61
96434	184962	7.12	F8	18.5	1.20

2 OBSERVATIONS

The observations were conducted in 2012 and 2013 at the 1-m telescope of the Crimean Astrophysical Observatory sited in Simeiz, Crimea. Radial velocities were measured by the CORAVEL-type echelle spectrometer, the Radial Velocity Meter. This instrument is based on analogue correlation of spectrum with a physical mask, where slits correspond to the spectral lines (Tokovinin 1987). The RVs are measured by fitting Gaussian curves to the observed correlation dips, with the zero point determined from observations of RV standards. Further information on the observing method and its limitations can be found e.g. in (Tokovinin & Gorynya 2001). The RV precision reaches 0.3 km s^{-1}, but it is worse for stars with shallow correlation dips and/or fast axial rotation.

⋆ E-mail: gorynya@sai.msu.ru
† E-mail: atokovinin@ctio.noao.edu



Figure 1. Radial velocity curves. Each panel plots the orbital phase on the horizontal axis and the RV (in km s^{-1}) on the vertical axis. The measurements are plotted as squares and triangles for the primary and secondary components, respectively. The full and dashed lines mark the RV curves, the horizontal dotted line corresponds to the center-of-mass velocity.

3 NEW ORBITS

Identifications and basic parameters of stars with orbital solutions are assembled in Table 1. Orbital elements and their errors are listed in Table 2 in standard notation. Its last columns contain the total number of RV measurements, the rms residuals to the orbit, and mass estimates. For double-lined binaries we provide $M \sin^3 i$, for single-lined binaries the minimum secondary mass $M_{\rm min}$ is listed, computed from the mass function and the estimated primary mass M_1 by solving the equation $M_{\rm min} = 4.695\,10^{-3}\,K_1 P^{1/3}(1-e^2)^{0.5}(M_1+M_{\rm min})^{2/3}$. Individual measurements and their deviations from the orbits are listed in Table 3, available in full electronically. Its columns contain the heliocentric Julian day JD, RV and its error σ in km s^{-1}, residual to the orbit O−C, and, for double-lined binaries, the component identification ('a' for the primary, 'b' for the secondary). The RV curves are plotted in Figs. 1 and 2. In the orbital fits, RVs are weighted as $1/(\sigma_i^2+0.3^2)$, where σ_i are individual RV errors determined by the Gaussian fits of the correlation dips, with instrumental error of 0.3 km s^{-1} added in quadrature. RVs derived from the unresolved blended dips of double-lined binaries are given a very low weight by artificially increasing the errors by few tens of km s^{-1}. Otherwise, the double dips are fitted by two Gaussian curves. The formal errors are also increased by 1 or 2 km s^{-1} for stars with fast rotation and shallow correlation dips. For circular orbits, we fix the elements $e=0$ and $\omega=0$ and fit the remaining four elements P, T, K_1, γ.

Table 3. Individual radial velocities and residuals (fragment)

JD +2400000	RV km s^{-1}	σ km s^{-1}	O−C km s^{-1}	Comp
	HIP 179			
56222.378	−57.59	0.26	0.92	b
56222.392	14.02	0.30	−0.59	a
56223.351	−45.72	0.23	1.43	a
56223.360	7.08	0.25	1.45	b

4 COMMENTS ON INDIVIDUAL OBJECTS

We discuss now each star individually. The masses of the primary components were derived from their apparent V magnitudes and trigonometric parallaxes, using standard relations for main sequence dwarfs (corrections were made for magnitudes of double-lined binaries). The existence of additional (tertiary) visual components is noted.

HIP 179 has a well-defined double-lined orbit with $P = 10.65$ d and nearly equal RV amplitudes, leading to the mass ratio of $q = M_2/M_1 = 0.982$ (GCS estimated $q = 1.00 \pm 0.01$). This binary is therefore a *twin* with identical components. The star is elevated above the main sequence by about 1.5 mag, more than 0.75 mag expected for a twin binary. Either the components are slightly evolved (subgiants), or the parallax is larger than measured by *Hipparcos*.



Figure 2. Radial velocity curves (see Fig. 1).

Table 2. Orbital elements

HIP	P days	T_0 +2400000	e	ω deg	K_1 km s^{-1}	K_2 km s^{-1}	γ km s^{-1}	N	rms km s^{-1}	Mass $M_\odot$
179	10.6594	56233.373	0.343	78.1	55.39	56.40	−21.23	46	1.00	0.64
	±0.0001	0.006	0.001	0.2	0.11	0.11	0.05	37	1.00	0.63
1989	7.34780	56224.894	0	0	42.01	-	−6.61	44	0.81	0.56
	±0.00003	0.002	*	*	0.09	-	0.06			
2981	8.2559	56232.503	0	0	17.37	-	45.67	33	0.49	0.20
	±0.0004	0.013	*	*	0.11	-	0.08			
5276	74.14	56282.15	0.231	151.4	19.3	-	14.0	27	0.55	0.56
	±0.03	6.6	0.055	13.2	3.8		4.4			
6439	34.200	56261.5	0.065	191.5	13.41	-	−20.14	21	0.45	0.27
	±0.011	1.8	0.012	20.6	0.17	-	0.33			
11218	4.3202	56230.680	0	0	52.76	-	−4.98	33	1.04	0.64
	±0.0001	0.009	*	*	0.15	-	0.12			
21443	2.0621	56604.522	0	0	24.33	-	−5.49	12	1.17	0.17
	±0.00013	0.004	*	*	0.24	-	0.18			
28678	163.2	56599.37	0.567	308.8	23.01	23.59	−2.42	11	0.48	0.48
	±3.0	0.45	0.050	4.4	0.38	0.39	0.11	12	0.63	0.47
41214	27.901	56231.60	0.388	171.2	48.0	62.6	−28.0	11	0.86	1.73
	±0.028	0.71	0.067	6.8	5.6	7.0	1.1	9	0.73	1.32
96434	33.542	56547.07	0.355	342.4	24.78	26.24	−31.65	35	1.27	0.19
	±0.043	0.15	0.010	2.1	0.54	0.49	0.13	37	0.71	0.18

The semi-major axis of the spectroscopic orbit is about 2 mas. The star was observed and not resolved by speckle interferometry (Mason et al. 2001b) and by Robo-AO (Riddle et al. 2014). We do not see any systematic RV trend within a year. The existence of any additional tertiary components thus appears unlikely, unless they have low mass and escaped direct resolution.

HIP 1989 has a circular orbit with $P = 7.35$ d with a relatively massive secondary ($M_{\rm min} = 0.56\ M_\odot$). The object is on the main sequence. This star is on the exo-planet program at the Keck telescope (Isaacson & Fischer 2010) and shows the RV jitter of 3.4 m s^{-1} superposed on the orbital RV variation. The four RV measurements from Keck kindly provided by D. Fischer (private communication) match our orbit, but are not included in the solution, adding little to its improvement. To our knowledge, no spectroscopic orbit was published. SIMBAD lists the RV of -47.4 km s^{-1} while the true center-of-mass velocity is -6.6 km s^{-1}. Observations with Robo-AO (Riddle et al. 2014) exclude tertiary components within the detection limit of that instrument.

HIP 2981 has a 8.25-day period. The circular orbital solution was imposed, as expected at such short periods. The object is on the main sequence. The star is slightly metal-deficient, [Fe/H]=-0.58, and has no additional known companions.

HIP 5276 has a preliminary orbit with $P = 74$ d. In two observing seasons, we could not achieve a good phase coverage, but observed the ascending branch of the RV curve three times, fixing the period securely. Nidever et al. (2002) published a single RV measurement of -6.08 km s^{-1} made on JD 2451026; curiously, they included the object in their list of constant-velocity stars. We used this measurement in the orbital solution presented in Fig. 1 (see the lowest data point).

The primary mass of 1.29 $M_\odot$ implies a minimum secondary mass of 0.56 $M_\odot$. The system is triple, it has a visual companion B in the 2MASS catalog at $6\farcs17$, $335\fdg4$. This companion was confirmed as physical (co-moving) with Robo-AO (Riddle et al. 2014). With a proper motion (PM) of 131 mas yr^{-1}, the companion would have moved if it were a background star. The mass of the visual companion B estimated from its photometry is about 0.3 $M_\odot$.

HIP 6439 is similar to the previous object in that the coverage of the RV curve is far from perfect, but observations in two seasons establish the 34-day period quite well. The primary component is on the main sequence, the minimum mass of the spectroscopic secondary is 0.27 $M_\odot$. The visual companion at $71''$ listed in the WDS (Mason et al. 2001a) as STTA 16 is optical because its observed motion is opposite to the PM of A. The existence of other tertiary components was probed by speckle interferometry at SOAR (Hartkopf et al. 2012) and with Robo-AO (Riddle et al. 2014), none were found.

HIP 11218 has a circular orbit with $P = 4.32$ d. It is about 1.1 mag above the main sequence. Fast stellar rotation synchronized with the orbit likely causes the increased chromospheric activity, explaining why the object was detected in X-rays by ROSAT. It has no additional visual companions, as far as we know. SIMBAD lists metallicity [Fe/H]=-0.25.

HIP 21443 is flagged in the GCS as a single-lined binary. Guillout et al. (2009) confirm the fast RV variability and relate it to the detection of this star by ROSAT (their two RV measurements are included in the present orbit with an offset of +7 km s^{-1}). The lithium line and Hα emission indicate that HIP 21443 is young. Fast rotation matches the 2 d period found here, although the orbit is based on only 12 RV measurements.

The 2MASS catalog contains a star at $5\farcs3$, $12\fdg6$ from the main target. This companion was measured with Robo-AO at similar position. However, the PM of HIP 21443 is small, 20 mas yr-1, and the field is rather crowded. It remains to be established whether the 2MASS companion is bound or is just a background star.

HIP 28678 shows double lines. In two seasons, we covered only a small fraction of its RV curve, so the present orbit with $P = 163$ d is rather tentative. The mass ratio $q = 0.98$ found here is close to $q = 0.947$ estimated in the GCS from 11 observations. The orbital period implies a semi-major axis of 12 mas, so the binary could be marginally resolvable by speckle interferometry. It was observed with speckle interferometry at the 4.1-m SOAR telescope in 2010.9 and 2014.05 and found unresolved (Hartkopf et al. 2012). In the light of the present orbit, we re-examined the speckle data and found a slight asymmetry indicative of marginal resolution, although no measurement of the separation could be made. The spectral type is F9V, the star is moderately elevated above the main sequence owing to its binarity. No additional visual companions are listed in the WDS.

HIP 41214 (HR 395) is a double-lined binary. The data do not yet constrain the orbit well. The 28-day period suggested here represents the observations, but may be not a unique solution. The orbit implies $q = 0.77$, while GCS estimated $q = 0.86$ from two observations. The star appears slightly evolved. It is monitored at Keck for exo-planets (Isaacson & Fischer 2010). Note that the primary mass of 1.73 $M_\odot$ slightly exceeds 1.61 $M_\odot$ estimated from the luminosity (a magnitude difference of 0.85 mag was adopted to subtract the light of the secondary). This means high orbital inclination. This star is not identified as a variable in the ASAS database (Pojmanski 1997). Although the ASAS photometry does hint on occasional minima, they do not follow the 27.9-d periodicity.

HIP 96434. In two seasons, we were able to derive a double-lined orbit with a 30-d period and moderate eccentricity. The RV errors are large because the correlation dips are shallow. The components are nearly equal in mass, $q = 0.96$. The GCS recognized the double-lined nature of this binary but did not estimate its mass ratio. The semi-major axis of 4.5 mas puts this pair beyond the reach of speckle interferometry, even at 8-m telescopes. The WDS companion H 5104 at $39''$, 138° is optical, as evidenced by its relative motion which simply reflects the PM of the main target. No additional components were found with Robo-AO (Riddle et al. 2014).

5 CONCLUSIONS

The database on solar-type binaries within 67 pc (Tokovinin 2014a) suffers from the missing data (periods and mass ratios) on 260 spectroscopic binaries discovered by the GCS. Our work reduced this number by 4%; its results are already included in the statistical analysis of this sample (Tokovinin 2014b). Several other stars with variable RV and/or double lines were observed, but do not have yet sufficient data to derive their orbits. We plan to continue the observations.

ACKNOWLEDGMENTS

This work was supported by the Russian Foundation for Basic Research (project code 11-02-00608). We thank the administration of the Simeiz Section of the Crimean Astrophysical Observatory for allocating observing time on the 1-m telescope.

REFERENCES

Guillout, P., Klutsch, A., Frasca, A. et al. 2009, A&A, 504, 829

Hartkopf, W. I., Tokovinin, A., & Mason, B. D. 2012, AJ, 143, 42

Isaacson, H. & Fischer, D. 2010, ApJ, 725, 875

Mason, B. D., Wycoff, G. L., Hartkopf, W. I. et al. 2001a, AJ, 122, 3466

Mason, B. D., Hartkopf, W. I., Holdenried, E. R., & Rafferty, T. J. 2001b, AJ, 121, 3224

Nidever, D. L., Marcy, G. W., Butler, R. P. et al. 2002, ApJS, 141, 503

Nordström, B., Mayor, M., Andersen, J. et al. 2004, A&A, 418, 989 (GCS)

Pojmanski, G., 1997, Acta Astronomica, 47, 467.

Raghavan, D., McAlister, H. A., Henry, T. J. et al. 2010, ApJS, 190, 1

Riddle, R., Tokovinin, A., Mason, B. D. et al. 2014, ApJ, in preparation

Tokovinin, A. A. 1987, AZh, 64, 196 (SvA, 31, 98)

Tokovinin, A. A. & Gorynya, N. A. 2001, A&A, 374, 227

Tokovinin, A. 2014a, AJ, 147, 86

Tokovinin, A. 2014b, AJ, 147, 87

van Leeuwen, F. 2007, A&A, 474, 653

Table 3 (full version}

HJD	RV	Err	O-C	Comp
HIP 179				
56222.378	-57.590	0.260	0.920	b
56222.392	14.020	0.300	-0.588	a
56223.351	-45.720	0.230	1.434	a
56223.360	7.080	0.250	1.449	b
56224.341	-71.350	0.250	0.850	a
56224.350	31.190	0.460	0.481	b
56226.305	14.210	0.270	0.190	b
56226.315	-55.740	0.430	-0.029	a
56227.339	-40.890	0.210	-0.712	a
56227.339	-2.250	0.260	-0.310	b
56228.347	-21.610	30.200	2.013	a
56230.322	11.480	0.280	-0.594	a
56230.343	-56.030	0.350	-0.482	b
56232.341	37.220	0.390	0.140	a
56232.357	-80.510	0.270	-0.068	b
56233.304	-3.200	21.550	-2.037	a
56233.311	-2.630	21.460	-0.992	a
56235.327	30.570	0.260	-0.477	b
56235.343	-72.290	0.200	0.248	a
56237.301	10.710	0.470	1.695	b
56237.322	-50.370	0.260	0.254	a
56239.277	-20.510	30.220	-1.519	a
56240.309	-1.380	0.250	-0.841	a
56240.309	-41.930	0.240	0.371	b
56241.290	17.630	0.230	-0.272	a
56241.321	-61.810	0.340	-0.141	b
56242.251	34.100	0.290	-0.029	a
56242.263	-77.860	0.230	-0.104	b
56526.557	-22.910	90.240	4.974	a
56526.585	-22.080	90.300	5.336	a
56527.527	-10.590	0.370	0.575	a
56527.527	-33.190	0.430	-1.709	b
56532.558	9.340	0.300	-0.033	b
56532.573	-52.190	0.250	-0.211	a
56533.493	-71.870	0.300	0.467	a
56533.508	30.150	0.370	-0.716	b
56534.506	-67.490	0.300	0.071	a
56534.515	24.760	0.350	-1.084	b
56535.501	-54.510	0.370	0.290	a
56535.512	13.850	0.400	1.064	b
56536.426	-40.870	0.300	-0.129	a
56536.426	-2.400	0.360	-1.033	b
56537.475	-21.040	2.200	2.490	a
56538.524	-6.190	0.500	-1.101	a
56538.524	-37.430	0.380	0.238	b
56539.590	-58.200	0.720	-0.254	b
56539.606	10.500	5.990	-4.630	a
56540.502	32.260	0.320	1.161	a
56540.515	-76.470	0.400	-1.752	b
56541.500	35.600	0.400	-1.098	a
56541.515	-79.580	0.310	0.455	b
56542.527	-10.230	0.410	-2.126	a
56542.527	-32.000	0.480	2.598	b
56544.467	-72.190	0.320	0.345	a
56544.479	30.600	0.360	-0.372	b
56544.488	30.360	0.270	-0.586	b
56545.423	-64.930	0.250	-0.272	a
56545.438	22.030	0.230	-0.771	b
56546.524	-49.460	0.330	-0.030	a
56546.532	8.240	0.290	0.883	b
56602.325	-7.660	0.530	0.242	a
56602.325	-36.070	1.250	-1.267	b
56602.332	-7.330	0.310	0.446	a
56602.332	-35.340	0.270	-0.408	b
56602.340	-5.750	0.510	1.882	a
56603.323	-53.650	0.490	-0.008	b
56603.337	11.320	0.240	0.455	a
56604.338	30.310	0.410	1.135	a
56604.354	-72.400	0.480	0.422	b
56605.424	-80.780	0.240	-0.217	b
56605.438	36.480	0.400	-0.419	a
56606.372	-45.790	0.270	-3.373	b
56606.386	1.850	0.260	3.223	a
56607.369	-60.720	0.480	-1.488	a
56607.375	-60.920	0.250	-1.479	a
56607.390	17.500	0.360	-0.696	b
56608.271	-71.900	0.300	0.806	a
56608.284	31.020	0.250	-0.163	b
56611.297	-36.280	0.250	0.384	a
56611.297	-6.210	0.350	-0.691	b
56612.234	-21.720	10.180	-0.632	a
56613.279	-40.450	0.270	-0.191	b
56613.288	-0.680	0.280	1.699	a
HIP 1989				
56222.422	-27.800	0.270	0.527	
56223.411	6.910	0.190	1.011	
56226.330	6.940	0.300	-0.575	
56227.355	-28.200	0.290	-0.226	
56228.406	-49.760	0.320	-1.543	
56230.368	-8.690	0.300	-0.745	
56232.378	34.730	0.220	-0.378	
56232.383	35.040	0.210	-0.047	
56235.383	-44.960	0.230	-0.627	
56237.343	-19.710	0.280	1.327	
56239.367	34.830	0.190	0.199	
56240.324	27.330	0.230	-0.052	
56241.357	-4.300	0.300	-0.191	
56242.284	-35.450	0.260	-0.729	
56527.544	9.220	0.220	0.164	
56532.587	22.680	0.310	-0.499	
56533.520	35.680	0.300	0.293	
56534.582	19.110	0.400	0.397	
56535.524	-13.350	0.410	-0.114	
56536.461	-41.910	0.330	-0.896	
56537.488	-47.300	0.320	-0.168	
56538.558	-21.740	0.380	0.800	
56539.615	14.600	0.470	0.525	
56539.618	14.030	0.310	-0.138	
56540.530	33.950	0.310	0.118	
56541.537	29.630	0.230	1.286	
56542.548	-2.440	0.300	-0.795	
56544.522	-48.640	0.230	-0.020	
56545.455	-35.450	0.230	0.537	
56546.540	0.300	0.300	0.494	
56602.354	-35.590	0.180	-0.138	
56603.356	-47.820	0.190	0.761	
56604.403	-31.670	0.260	-0.215	
56605.500	3.640	0.290	-2.372	
56606.396	27.660	0.260	-2.603	
56607.409	32.710	0.200	0.114	
56608.300	13.210	0.250	1.857	
56611.334	-41.360	0.260	0.353	
56612.245	-15.740	0.300	-0.362	
56613.300	21.000	0.340	0.812	
HIP 2981				
56222.473	49.760	0.180	0.287	
56226.371	44.850	0.300	-0.028	
56226.379	45.190	0.290	0.418	
56230.381	44.790	0.260	-0.114	
56232.410	62.220	0.240	-0.781	
56235.402	35.280	0.280	-0.077	
56237.358	30.820	0.340	-0.069	
56241.374	61.090	0.200	-0.086	
56241.374	60.830	0.260	-0.346	
56241.402	61.300	0.290	0.295	
56527.584	44.360	0.260	-0.411	
56532.595	35.540	0.350	-0.032	
56533.560	28.720	0.290	0.019	
56534.589	31.360	0.400	0.345	
56535.559	40.810	0.550	-0.300	
56536.522	53.950	0.320	0.453	
56537.588	62.970	0.360	0.662	
56538.577	60.970	0.750	-0.265	
56540.546	39.010	0.300	-0.085	
56541.606	28.770	0.380	-0.740	
56542.592	28.460	0.340	-1.040	
56544.535	50.870	0.300	0.358	
56545.492	60.930	0.320	0.540	
56546.578	62.780	0.340	0.348	
56598.389	38.760	0.230	0.291	
56603.394	61.350	0.240	0.236	
56604.428	62.380	0.310	0.169	
56606.404	42.640	0.300	1.168	
56607.422	30.440	0.220	-0.437	
56608.315	29.040	0.240	0.602	
56611.344	58.900	0.470	0.039	
56612.254	62.150	0.250	-0.892	
56613.311	57.230	0.320	-0.691	
HIP 5276				
51026.500	-6.080	0.100	-0.044	
56222.543	2.680	0.270	-0.366	
56223.454	5.680	0.250	1.219	
56224.522	5.840	0.290	-0.256	
56226.420	8.820	0.180	-0.087	
56227.372	10.680	0.230	0.420	
56230.398	13.860	0.280	-0.409	
56232.480	16.780	0.210	0.028	
56235.427	20.270	0.250	0.393	
56237.370	23.210	1.580	1.518	

56239.387	23.340	0.210	-0.035	
56240.367	24.140	0.190	0.021	
56527.598	14.970	0.260	-0.082	
56532.604	20.210	0.320	-0.262	
56535.570	23.160	0.570	0.086	
56540.577	26.120	0.320	-0.353	
56544.549	27.150	0.320	-1.132	
56546.585	29.800	0.280	0.911	
56598.401	9.480	0.260	-1.233	
56602.492	15.550	0.180	-0.402	
56603.409	17.530	0.280	0.524	
56604.442	18.300	0.320	0.158	
56606.415	20.420	0.200	0.265	
56607.436	21.120	0.250	0.002	
56608.326	22.540	0.260	0.626	
56612.328	25.500	0.290	0.495	
56613.322	24.600	0.370	-1.050	

HIP 6439

56223.466	-32.950	0.210	0.169	
56226.431	-36.040	0.270	-0.629	
56230.418	-30.920	0.240	-0.063	
56232.491	-26.070	0.300	-0.045	
56235.438	-18.590	0.210	0.016	
56240.387	-10.050	0.210	-0.106	
56241.434	-8.940	0.300	0.172	
56540.607	-24.550	0.290	0.690	
56542.601	-19.290	0.400	0.880	
56544.560	-15.610	0.300	0.034	
56545.584	-14.500	0.220	-0.870	
56546.594	-11.360	0.280	0.582	
56598.412	-31.130	0.260	-0.233	
56602.435	-34.660	0.200	0.750	
56603.384	-35.320	0.230	-0.111	
56604.415	-34.850	0.320	-0.450	
56606.408	-30.950	0.230	0.347	
56608.337	-27.520	0.200	-0.593	
56611.401	-19.480	0.300	-0.287	
56612.338	-17.140	0.300	-0.139	
56613.332	-14.650	0.260	0.233	

HIP 11218

56223.483	-29.110	1.340	2.493	
56224.544	-49.830	1.340	1.426	
56226.477	48.050	1.320	1.038	
56227.446	-6.050	1.350	-0.578	
56232.530	-51.430	1.370	1.044	
56235.493	34.270	1.370	-0.521	
56237.429	-52.730	1.340	1.033	
56240.412	-5.910	1.390	-0.036	
56241.466	-58.480	1.350	-0.748	
56242.324	-21.250	1.370	1.524	
56533.573	34.760	1.370	-0.897	
56544.580	-34.660	1.440	-0.804	
56545.601	38.530	1.390	1.993	
56546.604	32.470	1.350	0.456	
56598.369	35.520	0.360	-0.515	
56598.467	32.100	0.310	1.194	
56602.367	46.810	0.350	0.207	
56602.450	45.660	0.330	0.767	
56603.373	-11.750	0.330	-1.298	
56603.449	-15.800	0.270	0.408	
56604.386	-57.830	0.470	-0.087	
56604.386	-57.880	0.430	-0.137	
56604.527	-55.130	0.530	1.439	
56606.435	46.210	0.270	-0.935	
56606.450	46.590	0.400	-0.720	
56606.450	46.510	0.340	-0.800	
56607.453	7.850	0.310	0.007	
56608.355	-50.350	0.270	0.820	
56611.376	35.490	0.330	1.777	
56612.274	-32.850	0.500	-3.376	
56612.350	-34.790	0.280	-0.311	
56613.343	-51.720	0.540	0.383	
56613.398	-50.560	0.320	-0.504	

HIP 21443

52214.654	8.060	1.370	-0.518	
52215.635	-21.730	1.310	0.675	
56223.530	-1.740	0.230	2.119	
56224.634	-0.200	0.430	1.520	
56226.559	-10.250	0.890	1.545	
56231.586	8.970	0.300	-0.327	
56235.598	15.050	0.300	0.131	
56239.568	17.720	0.360	-0.988	
56598.599	11.070	0.300	-0.378	
56607.601	-31.010	0.350	-1.217	
56612.607	15.200	0.370	-0.680	
56613.423	-16.610	0.360	-1.276	

HIP 28678

56223.572	-14.290	0.340	1.082	b
56224.577	9.870	0.440	-0.512	a
56224.577	-16.240	0.340	-0.702	b
56231.598	12.150	0.320	0.742	a
56231.598	-16.480	0.320	0.110	b
56236.590	12.250	0.360	0.265	a
56236.590	-17.680	0.400	-0.499	b
56239.643	11.600	0.560	-0.641	a
56239.643	-17.730	0.430	-0.287	b
56241.570	11.120	0.720	-1.231	a
56241.570	-17.090	0.470	0.466	b
56602.630	27.710	0.370	-0.317	b
56602.646	-31.910	0.450	0.229	a
56603.568	30.680	0.520	1.710	b
56603.584	-32.550	0.570	0.501	a
56607.544	-32.790	0.350	-0.004	a
56607.558	28.730	0.320	0.028	b
56608.502	27.370	0.320	-0.646	b
56608.517	-31.900	0.320	0.197	a
56611.570	25.280	0.340	0.113	b
56611.579	-29.730	0.330	-0.410	a
56612.560	24.030	0.350	-0.133	b
56612.570	-28.670	0.360	-0.331	a

HIP 41214

56222.636	-4.100	1.390	-1.580	a
56223.621	-4.860	1.270	0.687	a
56236.631	-36.860	1.500	0.114	a
56236.631	-16.260	2.880	0.016	b
56241.621	-7.220	1.390	-0.652	a
56241.621	-56.430	2.990	-0.561	b
56604.610	-5.790	1.410	-0.084	a
56604.623	-6.150	1.400	-0.483	a
56604.623	-57.310	2.400	-0.267	b
56606.634	0.600	1.260	1.538	a
56606.640	-61.680	2.320	1.534	b
56607.622	-65.720	1.430	-0.680	b
56607.629	0.160	2.370	-0.322	a
56608.612	0.840	1.280	-0.500	a
56608.624	-65.820	2.450	0.355	b
56611.637	0.250	1.360	-0.247	a
56611.642	-64.080	2.560	0.981	b
56611.648	-65.550	2.510	-0.499	b
56612.653	-0.160	1.380	0.987	a
56612.660	-62.870	2.600	0.040	b

HIP 96434

56222.225	-29.810	10.240	8.063	a
56223.171	-26.170	2.300	-3.293	b
56224.229	-42.390	2.860	-0.490	a
56224.229	-20.530	2.560	0.263	b
56226.192	-44.230	2.460	0.519	a
56226.192	-18.070	2.320	-0.294	b
56228.213	-46.450	2.440	0.285	a
56228.213	-16.540	2.360	-0.867	b
56232.201	-49.750	2.460	-1.744	a
56232.201	-14.740	2.290	-0.413	b
56235.187	-46.340	2.550	-0.177	a
56235.187	-16.230	2.290	0.048	b
56240.172	-32.070	10.320	0.477	a
56526.470	-43.160	0.870	-0.656	a
56526.470	-19.760	0.640	0.393	b
56532.425	-46.950	0.600	0.971	a
56532.425	-14.780	0.290	-0.364	b
56534.294	-47.310	0.550	0.655	a
56534.294	-13.500	0.330	0.870	b
56537.366	-45.470	0.600	0.323	a
56537.366	-16.910	0.310	-0.240	b
56538.325	-45.900	0.830	-1.567	a
56538.325	-18.510	0.440	-0.294	b
56540.305	-26.370	10.820	-3.095	b
56540.321	-29.340	10.450	10.165	a
56542.326	-29.740	10.230	1.376	a
56543.309	-33.260	10.300	-8.010	a
56544.264	-17.600	0.490	0.812	a
56544.264	-46.150	0.270	-0.483	b
56545.315	-10.860	0.320	-0.690	a
56545.329	-10.020	0.460	0.042	a
56545.329	-54.010	0.270	0.500	b
56546.405	-62.630	0.480	-0.239	b
56546.418	0.270	1.130	2.816	a
56598.194	-13.470	4.570	1.498	b
56598.210	-46.310	2.290	1.099	a
56598.210	-14.530	4.230	0.429	b
56600.172	-12.980	2.650	1.315	b
56600.189	-47.970	2.390	0.067	a
56600.189	-14.760	2.540	-0.466	b
56601.182	-45.240	4.030	2.762	a
56601.182	-16.850	2.420	-2.520	b
56602.194	-12.480	2.400	2.176	b
56602.207	-46.110	2.480	1.579	a
56602.207	-13.270	2.250	1.393	b
56602.223	-50.240	2.760	-2.559	a
56602.223	-14.800	2.380	-0.130	b
56603.196	-46.460	2.490	0.620	a
56603.196	-14.010	2.280	1.297	b
56604.221	-16.450	2.380	-0.080	b
56604.233	-47.780	2.450	-1.718	a
56604.233	-16.520	2.380	-0.135	b
56605.304	-15.860	2.350	2.163	b
56605.311	-45.210	2.420	-0.706	a
56605.311	-17.510	2.410	0.525	b
56606.247	-18.840	2.300	1.169	b
56606.254	-41.880	2.760	0.744	a
56606.254	-19.730	2.540	0.296	b
56606.261	-43.620	2.500	-1.012	a
56606.261	-19.300	2.430	0.743	b
56607.171	-46.250	2.450	-6.027	a
56607.171	-26.660	2.320	-4.091	b
56607.183	-41.080	2.310	-0.893	a
56607.183	-23.850	2.220	-1.243	b
56608.178	-44.670	2.460	-7.894	a
56608.178	-29.460	2.310	-3.241	b
56611.164	-17.220	2.910	2.581	a
56611.164	-43.560	2.420	0.635	b
56612.176	-51.420	2.310	1.127	b
56612.186	-11.400	2.300	0.437	a
56613.176	-59.760	2.300	0.612	b
56613.190	-5.150	2.340	-0.715	a

This paper has been typeset from a TEX/ LATEX file prepared by the author.